



**3nethra  
neo**

---

Digital  
Wide-field  
Imaging  
System

---

# The Global Need for Pediatric Imaging

During the course of their intensive neonatal care, 37–54% of preterm babies contract a potentially blinding eye disorder known as Retinopathy of Prematurity (ROP). Unless early intervention is carried out, **7–15% of these babies are at risk of going blind.**



**130 m\***  
**babies** are  
born each year

\*UNICEF

**Approx**  
**15 m**  
are born  
**preterm**

Of these,  
**>3.5 m**  
**preterm births**  
are recorded in  
India alone

Further, retinoblastoma is the most frequent neoplasm of the eye, accounting for 3% of all childhood malignancies. Globally, nearly 1 in 15,000 children develop retinoblastoma and 8,600–9,000 children are newly affected each year.\*\*

**The need of the hour is an affordable, wide-field imaging solution to screen, evaluate, and photo-document pediatric ocular diseases.**

\*\*wehope.org

# 3nethra neo

## High-resolution Imaging with Greater Field of View

The 3nethra neo is a compact, portable, and easy-to-use mydriatic wide-field digital imaging system used for the photo documentation of ocular diseases that manifest in infant eyes. The ergonomically designed, lightweight handpiece allows for single-handed operation, and captures 120-degree high-resolution images of the

posterior and anterior segments of the eye. The device acquires only digital photographs of the eye and does not provide any analysis or diagnosis. The contact device is easily operated by qualified clinicians and can be deployed in versatile clinical environments such as hospitals, operating rooms, and Neonatal Intensive Care Units (NICU).

### Salient Features

- ✓ Integrated provision for historical data
- ✓ Intuitive controls and workflow
- ✓ Compact and ergonomic design
- ✓ Lightweight and easy to use

### Digital Health Platform

Cloud-based platform for secure electronic uploading of high-resolution digital images by operators and remote review by qualified clinicians.

*Digital Health Platform availability is subject to local regulatory requirements/infrastructure and therefore varies from country to country.*



### Innovation in Design



Unique built-in compact warm white LED-based illumination system




Innovative focusing system that enables noiseless operation



Complex and compact optomechanics to make the probe lightweight



Wide-field imaging at 120 degrees



*Lightweight, pen-holder grasp  
handpiece for single-handed operation*



## Delivers Objective Evidence



### 120-degree FOV

Photo-documentation of visual health for  
medico-legal purposes


Enhances consultation, improving communication  
with patients

*Photographs captured by 3nethra neo do not provide any pathological analysis or diagnosis for  
treatment. The device assists clinicians in the evaluation, diagnosis, and documentation of visual health.*

# Review Software




This convenient and full-screen view of the fundus images allows for easier comparison between images taken during different visits. This enables clinicians to evaluate the ocular condition's progression or regression faster.



The magnifier option aids in better analysis of the formation and tortuosity of blood vessels.

# Report Generation



The report provides the photo-documentation of ocular conditions along with the findings for each eye to indicate a further course of action. The automatic segmentation of the images

to the specific image fields in the report allows the variability of the images to be characterized separately for each eye. The review software enables sharing of the report through email.

# Product Specifications

Parameters	Values
Image Resolution	2048 X 2048, 24-bit colors
Minimum Pupil Diameter	4 mm
FOV	120 degrees, when measured from the center of the eye
Adjustments	Intensity, Gain, Balance, Brightness, Contrast, Gamma, and Focus
Imaging	Still images and burst mode images
Compatibility	DICOM Export and PACS support, Telemedicine, USB 3.0
Weight of Handheld Unit	340g (720g with cable)
Dimensions of Handheld Unit	210 (L) X 70 (W) X 60 (H) mm
Operating Environment	Temperature: 22-26°C Humidity: 30-70% Atmospheric pressure: 70-106 kPa Altitude: 0-2000 meters Power Supply Input: AC 100-240V, 50/60 Hz (for DC power adapter 5V/5A)
Minimum System Requirements	Intel i3 processor 7th or 8th Generation and above, 2.4 GHz CPU or higher, Windows 10 (64-bit) or Pro, with 8 GB RAM or higher, 500 GB or more hard disk space, at least two USB 3.0 ports, full HD display 1920 X 1080 resolution. Forus Health recommends using a CE marked laptop or desktop. For international markets, Windows OS Pro version is recommended.

This product is available for sale in the US, Canada and Europe.

# Forus Health

**Forus Health Pvt Ltd**  
#2234, 23<sup>rd</sup> Cross  
Banashankari, 2<sup>nd</sup> Stage  
Bangalore - 560 070, India

India: +91 80 4162 4041 | 4162 4042  
US: +1 510 488-6805  
Email: askus@forushealth.com  
Web: www.forushealth.com

**Forus Health Inc**  
2950, Merced Street  
Suite 114, San Leandro  
CA - 94577-5635, USA

[f @forushealth](#) | [in Forus Health Private Limited](#) | [t @forus\\_health](#) | [@ forus\\_health\\_imaging](#)

# Customer Speak



The 3nethra neo has helped us expand our tele-ROP (KIDROP) program wider than before. The portability of the device is an important factor. We are able to transport a single unit across several neonatal units within each zone of KIDROP. The images are of good quality, and with a field of view of 120 degrees, the device helps our trained photographers capture the retinal periphery, a pre-requisite for discharge from screening. Our teams using the cameras are able to complete over 2000 imaging sessions a month in over 127 neonatal units in Karnataka, a state in South India.

**- Dr Anand Vinekar,  
Narayana Nethralaya Eye Institute,  
Bangalore**



For three years, I have been using 3nethra neo, Forus Health's camera for the ROP screening program in Gujarat. Using 3nethra neo we have screened 8,000 babies, and I find the camera quite user-friendly and particularly, being lightweight makes it easier to carry between multiple NICUs. It's easy to use and allows my technicians to capture excellent images, even in the extreme periphery regions. I am very impressed with their telemedicine software where we upload images for remote screening. I feel the camera's image quality is comparable to RetCam camera and would strongly recommend using this relatively affordable 'Made in India' camera for ROP screening.

**- Dr Alay Banker,  
Banker's Retina Clinic and Laser Centre,  
Ahmedabad**